

## RESPONSIBLE DESIGN OUTSTANDING QUALITY EXCEPTIONAL EXECUTION

### Make No Compromise









## CONTENTS



4	CLARITY COMPOSITE DECKING
12	FORMA COMPOSITE DECKING
22	BALUSTRADE SYSTEMS
26	FORMA PANEL CLADDING
36	FORMA SLATTED CLADDING
44	COMPOSITE FENCING & GATES
52	PEDESTAL SYSTEMS
60	FORTE TIMBER FREE SUBSTRUCTURES





MIDNIGHT Forma Composite Slatted Cladding



Ecoscape Clarity® composite decking is a long lasting, low maintenance alternative to timber decking. Made up of recycled high density polyethylene plastic and reclaimed wood fibres. This unique makeup draws on the durability of synthetic products whilst maintaining the natural look and malleability of timber without any of its notable drawbacks.

This attractive and sustainable composite decking board is available in 5 beautiful colours and has a dual surface finish meaning the board can be laid either side up to achieve a different aesthetic.


Our Clarity boards have also been independently tested to BS 7976-2:2002 and are proven to be non-slip in both wet and dry conditions making family safety one of its most attractive selling points.




Our T-clip fixing system is purposefully engineered for both quick and easy installation whilst maintaining a high quality finish.

The T shaped clips space decking boards evenly allowing for expansion and contraction with temperature fluctuation.







#### CLARITY® COMPOSITE DECKING

#### Walnut

25mm x 150mm x **3000mm** 25mm x 150mm x **4800mm** 





#### Autumn

25mm x 150mm x **3000mm** 25mm x 150mm x **4800mm** 





Dual surface board; Side 1 wide groove, Side 2 narrow groove

#### Ash

25mm x 150mm x **3000mm** 25mm x 150mm x **4800mm** 







NOTE: Lighter Clarity Boards will show greater colour settling due to smalled quanties of dye and greater UV exposure to the natural wood fibres. After 3 months of UV exposure product colour remains consistent.

#### Charcoal


25mm x 150mm x **3000mm** 25mm x 150mm x **4800mm** 





Graphite

25mm x 150mm x 3000mm 25mm x 150mm x 4800mm







Request free samples at www.ecoscape.co.uk

#### CLARITY® COMPOSITE DECKING ACCESSORIES

Angle Fascia Trim 42mmx6mmx3000mm



Flat Trim 150mmx15mmx3000mm



Solid Edge Board 25mmx150mmx3000mm



Hidden T-Clip Fixings 250 pcs incl. screws and 1 drill bit



Locking Clip Fixings 50 pcs



Start/Finish Clips 50 pcs



Colour Coded Screws 50 pcs





Environmentally conscious design using 95% ethically sourced materials

Anti-slip Surface

Low maintenance - no need to paint, stain or seal

Does not rot, warp or splinter

Natural looking without many of the drawbacks of timber


Quick and easy Installation system with invisible fixings

Extensive 20 year warranty



FLINT Forma Composite Decking





Forma Composite decking is our premium composite with a durable polymer outer shell encapsulating the board. This capping forms an impermiable layer that protects from scratching, staining and fading making it the ultimate carefree, low maintenance flooring.


Available in six beautiful colours this stylish and sustainable decking board can instantly elevate any project into a luxury space.

Our T-clip fixing system is purposefully engineered for both quick and easy installation whilst maintaining a high quality finish.

The T shaped clips space decking boards evenly allowing for expansion and contraction with temperature fluctuation.







Forma's 360° co-extrusion durable capping is scratch and stain resistant, but also beautifully replicates the natural grain, dual tone and texture of timber.

With a 25 year warranty and UV bleaching resistant technology Forma decking requires minimal maintenance to keep its vibrant colour.

#### FORMA® COMPOSITE DECKING

#### Havana

150mm x 25mm x **3000mm** 150mm x 25mm x **4800mm** 





#### Spiced Oak

150mm x 25mm x 3000mm 150mm x 25mm x 4800mm





Dual surface boards; side 1 wide groove, side 2 woodgrain.

#### Silver Birch

150mm x 25mm x **3000mm** 150mm x 25mm x **4800mm** 







Flint 150mm x 25mm x 3000mm 150mm x 25mm x 4800mm





Argent 150mm x 25mm x 3000mm 150mm x 25mm x 4800mm



Midnight 150mm x 25mm x 3000mm 150mm x 25mm x 4800mm



#### FORMA® COMPOSITE DECKING ACCESSORIES

Angle Fascia Trim 42mmx6mmx 3000mm



Flat Trim 10mmx150mmx3000mm




Finishing Board 80mmx15mmx3600mm



Hidden T-Clip F ixings 250 pcs incl. screws and 1 drill bit



Locking Clip Fixings 50 pcs



Start/Finish Clips 50 pcs



Colour Coded Screws 50 pcs



# BENEFITS OF FORMA® DECKING

Environmentally conscious design using 95% ethically sourced materials

Dura capping for UV and stain resistance.


Low maintenance - no need to paint, stain or seal

Does not rot, warp or splinter


Natural Looking without any of the drawbacks of timber

Easy Installation system with invisible fixings

Extensive 25 year warranty



BLACK ALUMINIUM Aluminium Balustrade System with Glass



#### **BALUSTRADE SYSTEMS**

STAINLESS STEEL WITH GLASS







U CHANEL WITH GLASS Stainless Steel



Without Handrail



ALUMINIUM WITH GLASS Available in Black PC Finish



Without Handrail



FULL CLARITY COMPOSITE BALUSTRADE Available in all Clarity Colours



STAINLESS STEEL WITH WIRE Available in Black PC Finish



CLARITY COMPOSITE WITH GLASS BALUSTRADE Available in all Clarity Colours



STAINLESS STEEL SPIGOT Two Variations



ALUMINIUM RAILING + Gate System Available



HEX SPIGOT Available in Black Powder Coat Finish



Without Top Spigot






SILVER BIRCH Forma Composite Panel Cladding



Ecoscape Forma® composite cladding is a long lasting, low maintenanæ alternative to timber that can be used on various exterior projects; from home renovation to new build apartments, sunrooms or contemporary garden rooms.

Forma composite panel cladding is made up of recycled high density polyethylene plastic and reclaimed wood fibres. With a durable polymer outer shell encapsulating the board, it forms an impermeable layer that protects it from scratching and fading.




Our tongue and groove capped cladding profiles are available in six colours, utilise a hidden fixing system and have a choice of six innovative fixing trims.







MIDNIGHT Forma Composite Panel Cladding



#### FORMA® COMPOSITE CLADDING

**Havana** 142mm x 13mm x **3600mm** 





Spiced Oak 142mm x 13mm x 3600mm





Silver Birch 142mm x 13mm x 3600mm







Flint 142mm x 13mm x **3600mm** 





Forma Argent 142mm × 13mm × 3600mm

**Argent** 142mm x 13mm x **3600mm** 





Midnight 142mm x 13mm x 3600mm





#### FORMA® COMPOSITE PANEL CLADDING TRIMS

F Shape Trim 47mmx46mmx3600mm



Angle Trim 40mmx40mmx3600mm



Internal Corner Trim 72mmx72mmx3600mm



External Corner Trim 72mmx72mmx3600mm



Joint Trim 79mmx24mmx3600mm




Finishing Board 80mmx15mmx3600mm







ARGENT Forma Composite Panel Cladding



Forma Slatted Cladding is the perfect addition to any garden, extension or renovation and can instantly transform any project into a luxury space.


This stunning material from the capped Forma® range takes inspiration from natural timber cladding with no need to paint, stain or oil. Forma cladding products come with a 25 year warranty.







SILVER BIRCH Forma Composite Slatted Cladding



#### FORMA® COMPOSITE SLATTED CLADDING

Midnight

120mm x 25mm x **2500mm** 120mm x 25mm x **3600mm** 





Spiced Oak 120mm x 25mm x **2500mm** 120mm x 25mm x **3600mm** 





Silver Birch 120mm x 25mm x **2500mm** 120mm x 25mm x **3600mm** 







#### FORMA® COMPOSITE SLATTED CLADDING TRIMS & ACCESSORIES

Slatted Corner Trim 78mmx45mmx3600mm

Slatted End Trim 75mmx54mmx3600mm

Finishing Board 80mmx15mmx3600mm

Corner Trim 42mmx6 mmx3000mm



Aluminium Cladding Clips 250 pcs



Aluminium Starter Bar 3000mm



Plastic Pad 18mx8mm



Cladding Clip Wood Screw











MATERIAL SAMPLING

SILVER BIRCH Forma Composite Slatted Cladding



Environmentally conscious design using 95% ethically sourced materials

Durable capping for UV and stain resistance


Low maintenance - no need to paint, stain or seal

Does not rot, warp or splinter

Natural Looking without any of the drawbacks of timber

Easy Installation system with invisible fixings

Extensive 25 year warranty






Ecoscape's range of composite fencing and gates are an innovative modular wood plastic composite profile that stack to create any desired height. This creates a bespoke long lasting, low maintenance alternative to timber panels and gates.


Fence boards can either be retro-fit between existing fence posts or can be utilised in the fully composite post system; the perfect way to transform any garden into a luxury space.

This versatile system offers flexability and style but also maintains the same environmentally friendly ethos as our other composite products and is made up of the same high quality recycled HDPE plastic and reclaimed wood fibres.

CHARCOAL
Clarity Composite
Fencing & Gate

#### MODULAR FENCING SYSTEM BREAKDOWN





#### CLARITY® COMPOSITE FENCE BOARDS

**Walnut** 45mm x 157mm x 1830mm





Charcoal 45mm x 157mm x 1830mm





Dual surface boards; side 1 two 63mm battens, side 2 three 38mm battens

Graphite 45mm x 157mm x 1830mm







NOTE: Lighter Clarity boards will show greater colour settling due to smaller quantities of dye and greater UV exposure to the natural wood fibres. After 3 months of UV exposure colour remains consistent.

#### CLARITY® COMPOSITE GATE

Charcoal/Graphite/Walnut 52mm x 900mm x1220mm

Charcoal/Graphite/Walnut 52mm x 900mm x1520mm

Charcoal/Graphite/Walnut 52mm x 900mm x1820mm







#### CLARITY® COMPOSITE FENCING COMPONENTS

Top Board 45mm x139mm x1830mm




145mm x 145mm x 23mm

End Post 125x125x**1940/3000**mm



Steel Fence Base Plate w/ Bolts - Black



Inter Post 125x125x1940/3000mm



Corner Post 125x125x1940/3000mm



Steel Post Insert 55x55x1940/3000mm



Post Cap

# BENEFITS OF COMPOSITE FENCING & GATES

Modular system allowing for multiple design options.

3 Natural colours with matching gates in 4ft, 5ft & 6ft

Environmentally conscious design using 95% ethically sourced materials

Suitable for new project or retrofit between existing concrete posts

Quick and easy installation system

Strong and durable, storm resistant, 45mm thick boards

Extensive 20 year warranty



All of our decking & paving pedestals are made in Italy from 100% recycled polypropylene using advanced electric injection presses which release no emissions and no waste oil

The four ranges of pedestal include King, Queen, Junior & Lord and are beautifully boxed in our 100% FSC® packaging. The range comes with a 15 year limited warranty (40+ year design life). We have 10 European registered patents, with our technology being unique to the market.

Across the four ranges you have the availability of self leveling base support, self leveling heads and fixed supports. Our tools section includes all ancillaries and finishing items to cater for most laying issues and needs.


For technical information visit ecoscapeuk.co.uk

### Revolutionary Substructure Solutions



#### KING DUAL ADJUSTMENT PEDESTALS - K1 -K15

This revolutionary patented pedestal has dual axis of movement for maximum accuracy of adjustment. The top is self-leveling, the bottom allows the installer to choose between fixed or self-leveling base, just by twisting the converter located under the tower. This additional bottom function can correct level differences up to 5% of the surface.



All of our pedestals are made up of 100% recycled high-quality polypropylene to create a sustainable and durable reinforced base and impact resistant screw. The King pedestal is the market's only recycled polypropylene support with a load capacity exceeding 1800kg.

#### QUEEN FIXED PEDESTALS - Q1 - Q15





Queen is a reliable and durable raised floor support that is adjustable in height, with a fixed head. Ideal for multi-level renovations and projects that require operating at low heights. The Queen's minimum elevation height is just 21 mm, through to 1000mm+.

#### QUEEN PLUS ATTACHMENT





Queen pedestals are devised to be a fixed head, but with the application of a simple component between the screw and head, the queen plus attachment offers the option of self-leveling at the head to correct slopes of up to 5%. This transitions the Queen pedestal from fixed to a simple and practical self-leveling support.

#### **DECKING PEDESTALS**

King Dual Adjustment Pedestal K1 30mm - K15 1089mm

King Decking Head





KING Sizes Pieces per Sizes Pieces per box K1 K6 (K4+P1) 209 - 272 20 30 - 41 K2 **K7** (K5+P1) 41 - 63 272 - 329 20 20 КЗ **K8** (K4+P1+P1) 329 - 380 20 63 - 95 20 K4 95 - 152 K9 (K5+P1) 380 - 436 20 K5 **K10** (K5+P1+P1) 436 - 545 20 152 - 209 113 P1 extension KDH 20

Can be stacked all the way to K15

Queen Pedestal Q1 21mm - Q15 1224mm







QUEEN	Sizes (mm)	Pieces per box		Sizes (mm)	Pieces per box
Q1	21 - 30	25	QP1	28 - 37	25
Q2	29 - 44	25	QP2	36 - 51	25
Q3	43 - 72	25	QP3	50 - 79	25
Q4	70 - 126	25	QP4	77 - 133	25
Q5	124 - 234	25	QP5	131-341	25
Q PLUS	7	50	QDH	-	25

Can be stacked all the way to Q15/QP15

#### **PAVING PEDESTALS**

King Dual Adjustment Pedestal K1 30mm - K15 1089mm

King

Paving Head

KING	Sizes (mm)	Pieces per box		Sizes (mm)	Pieces per box
K1	30 - 41	20	K6 (K4+P1)	209- 272	20
K2	41 - 63	20	<b>K7</b> (K5+P1)	272 - 329	20
K3	63 - 95	20	K8 (K4+P1+P1)	329 - 380	20
K4	95 - 152	20	<b>K9</b> (K5+P1)	380 - 436	20
K5	152 - 209	20	K10 (K5+P1+P1)	436 - 545	20
P1 extension	113	40			

Can be stacked all the way to K15

Queen Pedestal Q1 21mm - Q15 1224mm



Queen Paving Head



Sizes

(mm)

28 - 37

36 - 51

50 - 79

77 - 133

131-341

Pieces per

25

25

25

25

25


box

QUEEN	Sizes (mm)	Pieces per box	
Q1	21 - 30	25	QP1
Q2	29 - 44	25	QP2
Q3	43 - 72	25	QP3
Q4	70 - 126	25	QP4
Q5	124 - 234	25	QP5
Q PLUS	7	50	

Can be stacked all the way to Q15/QP15

#### JUNIOR MINOR ADJUSTMENT PEDESTALS





Junior is an extremely low 12 mm to 30 mm support with a self-leveling base and functions without additional extensions. The movement of the screw runs between the head and the self-leveling base which allows easy leveling of the floor and capable of adjusting slopes of up to 1.5%.

#### LORD MODULAR CRADLES





\*Lord & Junior systems are only suitable for paving systems 58

Lord cradles are fixed at 8 mm and can be heightened by increments of 4 mm when adding the Lord extension beneath the support.

Lord is an effective solution in minor adjustment renovations and in all projects where very low heights are required.

Junior J1 12mm - J3 30mm



Paving Head



Lord

Cradle 8mm + 4mm pads



Paving Head



 JUNIOR
 Sizes (mm)
 Pieces per box

 J1
 12 - 18
 20

 J2
 18 - 24
 20

 J3
 24 - 30
 20



LORD	Sizes (mm)	Pieces per box
L	8	25
EXTENSION	4	25







Using only the highest grade 100% recycled plastics we produce extremely strong and durable plastic joists/battens as an alternative to using a timber substructure. With profiles suitable for both decking and cladding these solutions are especially beneficial in the damp British climate where timber can be compromised in a matter of a few years.

We also offer a recycled aluminium support system. Extremely light weight and durable – aluminium does not warp, shrink, swell like timber and remains perfectly straight throughout its 80+ year lifespan. The recycling process only takes up 5% of the energy used during its manufacturing and the quality of recycle aluminium is the same as that of new.

#### FORTE TIMBER FREE JOISTS/BATTENS

Forte Plastic Decking Joist 50mmx50mmx2400mm



Forte Plastic Decking Joist 125mmx50mmx3000mm



Forte Plastic Decking Post 100mmx100mmx3000mm



Forte Plastic Cladding Battens 25mmx50mmx3000mm 20mmx100mmx2800mm




Aluminium Joist 40mmx40mmx3000mm




Tech Pedestal Rail Joist 70mmx25mmx2000mm







ARGENT Forma Composite Decking + Q3 Pedestals



## ENVIRONMENTAL SUSTAINABILITY All of our composite materials are made using a mixture of reclaimed timber fibres, recycled HDPE and environmentally sustainable bonding agents and dyes to create high quality products that replicate the characteristics of timber without any of the drawbacks; like rotting, warping, drastic colour fading, ongoing maintenance etc. The use of recycled HDPE plastics helps aid in the battle to reduce landfil and ocean plastics but also reducing our carbon footprint. For more information about our sustainability visit ecoscape.co.uk